



Product information

REV2013344

Stuffing-Box-Packing Type 2001

Material composition

Diagonally braided from pure graphite yarn with a minimum purity of 99%, treated with corrosion inhibitor and densified with pure graphite powder.

Please note: the colour of the actual product might vary from the above image on this data-sheet.

Properties

High performance packing for pumps and valves, primarily intended for high pressure- / high temperature steam valves and similar difficult sealing applications. Caters for a wide range of aggressive media at both very low and very high temperatures; low coefficient of friction for high torque operation; excellent thermal conductivity.

Application areas

This extremely versatile packing can be used for pumps and valves in the high temperature / high pressure environments prevailing in power stations, boiler houses, petrochemical refineries, steel mills and similar industries.

Application media

Steam, water, oils, condensate, alkalis, acids, solvents, paints, varnishes and most chemicals with the exception of highly oxidizing media.

Not suitable for

Highly oxidizing agents.

Benefits

Suitable for an extremely wide range of applications, TEADIT 2001 can reduce stock inventories considerably. Very little loss of volume at high temperatures. The low density of style 2001 results in excellent yield per kilogram!



Temperature:
 - temp + temp steam:
 (°C) 240 450 650

Pressure:
 rotating: reciprocating: static:
 (bar) 30 100 300

pH: 0-14 density: 1,0 v: (m/s) 20



STOCKED, SUPPORTED AND DISTRIBUTED BY

email: sales@williamjohnston.co.uk

www.williamjohnston.co.uk



WILLIAM JOHNSTON
 & COMPANY LIMITED

Glasgow: 0141 620 1666

Inverness: 01463 238673

Disclaimer

Please note, failure to select the correct materials or products we supply ("the Products") may result in damage to plant, equipment or property. In some instances, it may cause death or personal injury. We are not designers and do not give advice about design related matters concerning the Products. We can help and assist with the technical specifications for the Products. In specific applications, particularly where critical conditions exist, we will try to assist you within the limitations of the services that we offer. All information supplied by us is intended as technical co-operation outlining the specifications of the different Products which we supply. To the extent permitted in law, no warranty is given in respect of any information supplied by us. The customer must satisfy themselves as to the suitability of the Products for their intended application and use. The correct fitting of Products is the responsibility of the customer. Your statutory rights remain unaffected. Save in respect of death, personal injury or fraud, our entire liability to you, however arising from the supply of Products shall be limited to the £10M indemnity amount provided by our insurers.