



## Product information

# Stuffing-Box-Packing Type 2808

### Material composition

Diagonally braided from acrylic fibre, impregnated throughout with pure graphite powder and an inert lubricant.

Please note: the colour of the actual product might vary from the above image on this data-sheet.

### Properties

Style 2808 is a dense, yet soft and pliable packing with good heat transmitting properties. The combination of the synthetic fibre, pure graphite powder and a high-temperature break-in lubricant results in a packing with very low shaft wear and good durability.

### Application areas

Multi-purpose packing which can be used for dynamic and static applications in pumps, mixers, kneaders and valves in all sorts of industries.

### Application media

TEADIT style 2808 covers a wide variety of media like water, brine, mild acids and lyes, most chemicals, abrasive substances etc.

### Not suitable for

Concentrated acids and lyes, oxygen.

### Benefits

Economical all-round packing for many applications within a plant, not shaft scouring.



Temperature:

	- temp	+ temp
(°C)	100	230

Pressure:

	rotating:	reciprocating:	static:
(bar)	20	20	50

pH: 4-10      density: 1,1      v: (m/s) 10



STOCKED, SUPPORTED AND DISTRIBUTED BY



**WILLIAM JOHNSTON**  
& COMPANY LIMITED

TEL: +44 (0) 141 620 1666

email: [sales@williamjohnston.co.uk](mailto:sales@williamjohnston.co.uk)

[www.williamjohnston.co.uk](http://www.williamjohnston.co.uk)