TECHNICAL DATA





WILLIAM JOHNSTON & COMPANY LIMITED

Inverness +44 (0) 1463 238 673 Head Office +44 (0) 141 620 1666 (8 lines) Ashford +44 (0) 1233 330 766 <u>sales@williamjohnston.co.uk</u> www.williamjohnston.co.uk

PRODUCT NAME

BS2751 BA70

DESCRIPTION

THICKNESS (mm)

SHEET SIZE (M)

FINISH

MATERIAL

INSERTION

APPLICATION

CHEMICAL RESISTANCE

manufactured under strict control to BS2751/BA70 specification. Oils, fuels, greases & water. Excellent physical and mechanical properties. 1 to 6 1.4 x 10

Plate/plate

Nitrile BS2751

Chemical resistance, oil, fuel, weather, Ozone.

A high grade pure NBR (acrylonitrile butadeine)

PLEASE REFER TO OUR CHEMICAL DATA SHEET

SPECIFICATIONS COMPOUND	Values [typical]
COLOUR	BLACK
COMPOUND	NBR
DENSITY [SPECIFIC GRAVITY] g/ci	m ³ 1.4
HARDNESS [DEGREES SHORE A] +/	⁻⁵ 70
TENSILE STRENGTH M	Pa 13.0
ELONGATION AT BREAK	%350
MINIMUM TEMPERATURE	°C-30
MAXIMUM TEMPERATURE	°C+120
ABRASION RESISTANCE mi	m ³ 160
TEAR RESISTANCE Kg/c	m N/A

Failure to select the correct materials or products can result in damage to plant and equipment and personal injury. In specific applications, particularly where critical conditions exist, we suggest you contact us and we will consider with you the most suitable material or product. However, information supplied by William Johnston & Company Limited only as technical co-operation and as a guide to the various uses of different products. No warranty is given in respect of information or recommendations by William Johnston & Company Limited which are only given for guidance and without any guarantee. The customer must satisfy themselves on the suitability of the material or product for the intended purpose. The correct fitting of products is the responsibility of the customer.